

GEOME

INSTALLATION INSTRUCTIONS

MIRROR

GEOME-48"/ GEOME-60"

BEFORE YOU BEGIN

1. Please read these instructions carefully to familiarize yourself with the required tools, materials, and installation sequences.
2. Follow the sections that pertain to your particular installation. This will help you avoid costly mistakes.
3. To avoid property and products be damaged during installation, anchors must be inserted before installing the fasteners.
4. To turn off the power. In your electrical circuit breaker control for the room where you'll be working and switch the circuit off.
5. To All information in these instruction is basic upon the latest product information available at the time of publication.

PRODUCT DESCRIPTION & INFORMATION

This installation covers the following products in the GEO Mirror range: GEOME-48"/GEOME-60" Mirror **Product**

Features:

- Frameless LED crystal clear wall mirror
- Option vertical or horizontal hanging
- Touch switch on & off
- Operates on 110V AC power , 50-60 HZ
- Energy saving 6500K LED Bulb (50,000 hours)
- UL approved components and cord attached to the back of mirror
- Other information: 7-15W, 655 lumens, CRI 80

Tools will need:




Plus:

- Fasteners
- Expansion Plug
- Assorted Drill Bits

DIMENSION DRAWING

Reference Value

UNIT : INCH



GEOME
MIRROR

47.2×1.4×29.5 INCH

59.0×1.4×29.5 INCH

Remark: The dimension drawing marked on installation instruction are regular,

INSTALLATION


1. Open the carton and make sure all the parts listed below are present.




5 X



5 X



2 X




2. Mark the desired height of the mirror according to the dimensions given.

⚠ Caution: Avoid hidden cables and pipes when you drill holes in the wall.

3. Drill the required holes and insert the wall plugs.

Note: Wall plugs supplied are only suitable for solid stone/brick walls. Please ensure the screws are fully tight. The rectangular mirrors can be mounted either portrait or landscape. When installing the products, make sure the IR Sensor always locates at proper position.

4. Hang the mirror on the wall carefully and in position to make the pre-installed hangers at the back of the mirror are centered on the mounted hangers on the wall. The hangers must interlock.




Commodity: Decorative mirror with LED

Main material: 5mm silver coated mirror+aluminum

Other info: 110V AC, 50/60Hz, LED 7-15W, screen touch switch

5. Make the electrical connections while first ensuring that the electrical supply has been turned off. It should be installed in accordance with the latest IEE regulations.
Please note: 3 wires in the plug on the back of the mirror: yellow and green (earth), blue (neutral) and red (live).



CARE AND MAINTENANCE

Warn! Risk of product damage.

1. Many cleansers contain abrasive and chemical substance which is not suitable for cleaning stainless steel, enamel, plating or plastic products. You may use mild cleansers or soaps to clean the surfaces. Wipe any splashes of cleaner solutions from the surface with clean soft cloth.
2. Maintain ventilation in the bathroom, and separate the dry area from the damp one if conditions permit. Try to open the door and windows of the bathroom and maintain good ventilation.
3. The best and safest cleaner for a mirror is clean, warm water used with a soft cloth. Be careful not to allow the edges of the mirror to get or remain wet over a period of time.
4. If using a commercial glass or mirror cleaner, be sure to use a standard brand of glass or mirror cleaner that does not contain ammonia or vinegar. Do not use Windex. Never spray any cleaner directly on to a mirror.
Instead, apply the cleaner to a soft cloth and then wipe the mirror.
5. Always use soft, grit-free cloths when cleaning a mirror to reduce chances of scratching the surface.
6. Be sure to dry all joints and edges thoroughly to be certain that no commercial cleaner comes in contact with the edges and backing.

LIMITED WARRANTY

We warranty our products against manufacturer's defects for one year from the purchase date. The warranty applies only to the original purchaser of the product from MGA Commodities Inc.

If a product is determined to be defective due to manufacturer's defects, we will supply a replacement product. The scope of the warranty is limited to replacing the product and does not include labor to install, repair, deliver, or to remove the existing illuminated mirror.

This warranty is void in the event the product is damaged in transit, or if damage or failure is caused by abuse, misuse, storage of products in an improper environment, abnormal usage, faulty installation, failure to follow installation instructions, damage in an accident, improper maintenance, or any repair.

MGA Commodities Inc. reserves the right to inspect any claim prior to issuing credit.